

DATA SHEET

ICPS-VE-SU-N-R2, ICPS-VE-SU-W-R2

ICOMPEL 4K VESA-MOUNTABLE, SFF, MEDIA PLAYER, 15 ZONES



BLACK BOX

OVERVIEW

ICOMPEL DIGITAL SIGNAGE 4K MULTI-ZONE MEDIA PLAYER, 15 ZONES (OPTIONAL WI-FI) DATA SHEET

INTRODUCTION

The iCompel Digital Signage 4K Multi-zone Media Player, 15 Zones is a 4K fanless player, suitable for subscribing to iCompel digital signage networks or as a standalone player. It is ideal for video walls in corporate and retail applications.

Two models are available:

- ICPS-VE-SU-N-R2: iCompel Digital Signage 4K Multi-zone Media Player, 15 Zones
- ICPS-VE-SU-W-R2: iCompel Digital Signage 4K Multi-zone Media Player, 15 Zones, Wi-Fi Enabled

FEATURES

- SUPPORTS RESOLUTIONS OF 3840 X 2160 @ 60 FPS
- SLIM PROFILE FOR BACK OF SCREEN (VESA) MOUNTING
- HD STREAM-IN, DUAL-BAND WI-FI AND TOUCH OPTIONS
- INTEL PROCESSOR
- 4K VIDEO, HTML5, IMAGES, TEXT AND AUDIO
- USE AS STANDALONE OR AS A SUBSCRIBER UNIT

COMPARISON CHART

MODEL OPTIONS		
	ICPS-VE-SU-N-R2	ICPS-VE-SU-W-R2
WI-FI	NO	YES
ZONES	UNLIMITED	UNLIMITED
MAX. VIDEO ZONES	(2) (ONE 4K ZONE)	(2) (ONE 4K ZONE)
ROLE	SUBSCRIBER OR STANDALONE PLAYER	SUBSCRIBER OR STANDALONE PLAYER WITH WI-FI

ORDERING INFORMATION

ITEM	CODE
iCOMPEL Digital Signage 4K Multi-zone Media Player, 15 Zones	
No Wi-Fi	ICPS-VE-SU-N-R2
Wi-Fi Enabled	ICPS-VE-SU-W-R2
Optional IP video stream-in license, MPEG/UDP	ICOMP-IN
Optional screen mounting plate	ICOMP-VESA-R2
Optional 6-button remote control and receiver	ICOMP-RC

DISCLAIMER

Black Box Corporation shall not be liable for damages of any kind, including, but not limited to, punitive, consequential or cost of cover damages, resulting from any errors in the product information or specifications set forth in this document and Black Box Corporation may revise this document at any time without notice.



SPECIFICATIONS

ICOMPEL DIGITAL SIGNAGE 4K MULTI-ZONE MEDIA PLAYER, 15 ZONES (OPTIONAL WI-FI) DATA SHEET

SPECIFICATIONS FOR ICOMPEL DIGITAL SIGNAGE 4K MULTI-ZONE MEDIA PLAYER, 15 ZONES (ICPS-VE-SU-N AND ICPS-VE-SU-W)	
MEMORY	
PROCESSOR	x86 64-bit quad core
RAM	4 GB
DISC	512 GB Solid State Drive (SSD)
AUDIO/VIDEO CONNECTORS	
VIDEO	HDMI, DP (VGA and DVI with adapters)
AUDIO	3.5 mm stereo mini-jack socket and HDMI
MEDIA	
VIDEO	H.265, MPEG-1, MPEG-2, MPEG-4 (ASP and AVC), QuickTime®, WMV 9, video cropping
ANIMATION	HTML (with JavaScript), HTML cropping and zoom, HTML
IMAGES	JPEG, TIFF, GIF, PNG, BMP
AUDIO	MPEG-1 (layers 1, 2, and 3), MPEG-2 (AAC), MPEG-4 (AAC), AC3, MP3, WAV
TEXT	Multiple fonts, speeds, colors, and directions. RSS newsfeeds.
CLOCKS	Digital (multilingual and localizable date and time formats)
SOURCE	
INTERNET	HTML (web pages), RSS feeds (with multilingual support), XML files
VIDEO IN	Optional IP video stream-in license, MPEG/UDP
NETWORK	
ETHERNET	10/100/1000BASE-T (RJ-45)
WIRELESS	Optional internal M.2 card supporting 802.11 a/b/g/n/ac (2.4 and 5 GHz)
PORTS	
USB	(4) USB 2.0, (2) USB 3.2
RS-232	(1) RS-232 DB9M
PHYSICAL	
DIMENSIONS	1.0" H x 7.5" W x 5.9" D (26 x 189.6 x 148.3 mm)
WEIGHT	2.8 lb. (1280 g) (including PSU and mains cable)
POWER	DC-IN, 19V/2.37A
TEMPERATURE	32 to ~ 113° F (0 to ~ 45° C) @ 0.7m/s Air Flow
COOLING	Active (fanned)
MOUNTING	Optional screen mounting plate
REMOTE CONTROL	Optional 6-button remote and receiver

TECH SUPPORT/CONTACT INFORMATION

Visit blackbox.com/discover-bb/global-presence for regional technical support and contact information.

